

# IsatPhone<sup>2</sup>

**READY  
RELIABLE  
ROBUST**



[inmarsat.com/isatphone](http://inmarsat.com/isatphone)

FLUXCON  
FLUXCON (PTY) LTD

  
**inmarsat**  
The mobile satellite company™

# READY RELIABLE ROBUST

Introducing the IsatPhone 2 from Inmarsat, designed for the most reliable satellite communications network in the world. IsatPhone 2 is the latest addition to our handheld satellite phone portfolio with a range of additional features that help you to stay connected in the most extreme and remote locations.

IsatPhone 2 is a tough phone for a tough world. The robust handset has been engineered to cope with anything that nature can throw at it - from searing heat to icy blasts; desert sandstorms or monsoon rain. And with fast network registration, an unrivalled battery life offering 8 hours of talk time and up to 160 hours of standby time, you know you can always depend on the IsatPhone 2.

What's more, IsatPhone 2 gives you the excellent voice clarity and call stability you have come to expect from Inmarsat's network.

**Ready, Reliable, Robust - IsatPhone 2 delivers it all.**

# IsatPhone<sup>2</sup>

- > Dependable connectivity
- > High quality voice
- > Rugged design
- > Assistance button and GPS tracking
- > Extended battery capacity
- > Incoming call alerts even with antenna stowed

From the world's leading provider  
of mobile satellite communications



# READY TO GO



**Out of the box:** IsatPhone 2, battery, chargers, wired handsfree headset, wrist strap, support USB memory drive, holster, quick start guide and warranty

# ROBUST FEATURES


A powerful, dependable satellite phone delivering high voice quality, voicemail, text and email messaging, plus tracking and assistance alert features. All packaged in an ergonomically designed rugged handset.

- › **Ready:** fast network registration in under 45 seconds and unrivalled battery life, with 8 hours of talk time and up to 160 hours of standby time
- › **Reliable:** operates over global geostationary satellites ensuring reliable call stability and network connection
- › **Robust:** designed and engineered to withstand the most extreme conditions; operates at  $-20^{\circ}\text{C}$  to  $+55^{\circ}\text{C}$  (larger keypad for easy dialling when wearing gloves); dust, splash and shock resistant (IP65, IK04); humidity tolerance from 0 to 95%
- › **Reassuring:** location services, including tracking and assistance button, keep people updated of your GPS coordinates when it matters. Receive notification of inbound calls even with antenna stowed
- › **Readable:** easy-to-use interface with large high-visibility, scratch-resistant transreflective display that is readable even in bright sunlight



# RELIABLE SATELLITE CO

## Coverage



 I-4 Americas     Alphasat     I-4 Asia-Pacific

This map is illustrative of IsatPhone 2 coverage. It does not provide a guarantee of the extent of service availability. From November 2013, Alphasat coverage prioritises the region north of 44°S, and service may degrade south of this latitude.

IsatPhone 2 operates globally over the Inmarsat-4 satellites and Alphasat.

## PHYSICAL

Dimensions	Length: 169mm (6.7") Width: 52mm (2") without antenna 75mm (3") with antenna Depth: 29mm (1.1") in hand 36mm (1.4") at deepest point
Weight	318g (11.2oz) – including battery
Display	High contrast colour screen
Interfaces	Micro USB Audio socket Antenna port Bluetooth 2.0
Durability	IP65 IK04
Operating range	-20°C to +55°C (-4°F to +131°F)
Storage range	-20°C to +70°C (-4°F to +158°F) (with battery)
Charging range	0°C to +45°C (+32°F to +113°F)

## BATTERY

Type	Lithium-ion, 3.7 volts
Talk time	Up to 8 hours
Standby time	Up to 160 hours

# COMMUNICATIONS

## SERVICES

Satellite telephony	2.4kbps voice codec
Voicemail	Speed dial 1
Supplementary voice services	Call history Caller ID Call waiting Call divert Call holding Conferencing Call barring Speed dialling Fixed number dialling
Text-to-text	160 Latin / ~74 non-Latin characters Up to 10 concatenations Standard and predictive text
Text-to-email	160 Latin / ~74 non-Latin characters Up to 10 concatenations Incoming email – 160 Latin characters / ~74 non-Latin characters
Web message-to-IsatPhone 2	Free from message.inmarsat.com
GPS location data	View position Send as text/email

## FEATURES

Features	Tracking Assistance button eCompass for enhanced pointing Alarm Minute minder Microphone muting Incoming call alerts with antenna stowed Speakerphone Bluetooth
Contact synchronisation	With MS Outlook 2007 (PC) O/S compatibility: Windows XP Pro SP3, Windows Vista SP1, Windows 7 and Windows 8
Languages supported	Arabic, Chinese, English, French, Japanese, Portuguese, Russian, Spanish

## ACCESSORIES

In the box	Battery Chargers: <ul style="list-style-type: none"><li>• Mains universal AC charger (4 adaptors)</li><li>• Car charger – 10-30 volts</li></ul> Micro USB cable Wired handsfree headset Wrist strap Quick start guide (8 languages) Warranty documentation Support USB memory drive Holster
Also available	Bluetooth headset Solar charger

# HOW TO BUY

IsatPhone 2 is available through select Inmarsat distribution partners and service providers.

Visit our website to find the right partner for you.

[inmarsat.com/isatphone](http://inmarsat.com/isatphone)



Whilst the above information has been prepared by Inmarsat in good faith, and all reasonable efforts have been made to ensure its accuracy, Inmarsat makes no warranty or representation as to the accuracy, completeness or fitness for purpose or use of the information. Inmarsat shall not be liable for any loss or damage of any kind, including indirect or consequential loss, arising from use of the information and all warranties and conditions, whether express or implied by statute, common law or otherwise, are hereby excluded to the extent permitted by English law. INMARSAT is a trademark of the International Mobile Satellite Organisation, the Inmarsat LOGO is a trademark of Inmarsat (IP) Company Limited. Both trademarks are licensed to Inmarsat Global Limited. © Inmarsat Global Limited 2014. All rights reserved. IsatPhone 2 March 2014.